

Implement `snake-skinny?`, which takes a snake and returns `true` if the snake weights less than 10 pounds, `false` otherwise

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative step: implement the function body

## Test

- Run the examples

Implement **snake-skinny?**, which takes a snake and returns **true** if the snake weights less than 10 pounds, **false** otherwise

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative step: implement the function body
- Implement **snake-skinny?**, which takes a snake and returns **true** if the snake weights less than 10 pounds, **false** otherwise

## Test

- Run the examples

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative

Implement **snake-skinny?**, which takes a snake and returns **true** if the snake weights less than 10 pounds, **false** otherwise

## Test

- Run the examples

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative step: implement the function body

## Test

- Run the examples

Implement **snake-skinny?**, which takes a snake and returns **true** if the snake weights less than 10 pounds, **false** otherwise

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative

Implement **snake-skinny?**, which takes a snake and returns **true** if the snake weights less than 10 pounds, **false** otherwise

## Test

- Run the examples

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative

Implement **snake-skinny?**, which takes a snake and returns **true** if the snake weights less than 10 pounds, **false** otherwise

## Test

- Run the examples

Implement **feed-snake**, which takes a snake and returns a snake with the same name and favorite food, but five pounds heavier

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative

## Test

- Run the examples

step: implement the function body  
Implement **feed-snake**, which takes a snake and returns a snake with the same name and favorite food, but five pounds heavier

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative

## Test

- Run the examples

Implement **feed-snake**, which takes a snake and returns a snake with the same name and favorite food, but five pounds heavier

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative

## Test

- Run the examples

Implement **feed-snake**, which takes a snake and returns a snake with the same name and favorite food, but five pounds heavier

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative

## Test

- Run the examples

Implement **feed-snake**, which takes a snake and returns a snake with the same name and favorite food, but five pounds heavier

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative

## Test

- Run the examples

step: implement the function body  
Implement **feed-snake**, which takes a snake and returns a snake with the same name and favorite food, but five pounds heavier

# Design Recipe II

## Data

- Understand the input data

## Contract, Purpose, and Header

- Describe (but don't write) the function

## Examples

- Show what will happen when the function is done

## Template

- Set up the body based on the input data (and *only* the input)

## Body

- The most creative

## Test

- Run the examples

Implement **feed-snake**, which takes a snake and returns a snake with the same name and favorite food, but five pounds heavier